132592

# TABLE OF CONTENTS


| | | PAGE |
|---|---|---|
| Effects of excessive natural mulch on development, yield, and structure of native grassland | *J. E. Weaver and N. W. Rowland* | 1– 19 |
| Embryology of *Macrosolen cochinchinensis* | *P. Maheshwari and Bahadur Singh* | 20– 32 |
| Studies of floral morphology in the Ericales. II. Megasporogenesis and megagametophyte development in the Andromedeae | *Barbara F. Palser* | 33– 52 |
| Interrelations of selected plant characters in Kentucky bluegrass (*Poa pratensis* L.) | *E. L. Nielsen and D. C. Smith* | 53– 62 |
| Hybrid vigor in a tomato cross | *W. Gordon Whaley* | 63– 72 |
| Cytochemical studies on pycnotic root-tip cells | *Nebahat Yakar* | 72– 79 |
| The role of coumarin in the growth of roots of *Melilotus alba* | *James P. San Antonio* | 79– 95 |
| Relation of irrigation practice to the differentiation and development of apricot flower buds | *Dillon S. Brown* | 95–102 |
| Ovary-wall development as influenced by growth-regulators inducing parthenocarpy in the Calimyrna fig | *Julian C. Crane* | 102–107 |
| Response of Black Corinth grapes to applications of 4-chlorophenoxyacetic acid | *Robert J. Weaver* | 107–113 |
| Response of the cotton plant to late and localized applications of maleic hydrazide | *David R. Ergle and Wayne J. McIlrath* | 114–122 |
| Responses of orange and grapefruit trees to maleic hydrazide | *Louis C. Erickson, B. L. Brannaman, Henry Z. Hield, and Milton D. Miller* | 122–130 |
| Factors in the determination of the intracellular localization of enzymes | *C. E. Hagen and Viron V. Jones* | 130–134 |
| Effects of beta-naphthoxyacetic acid on fruit size in the Marshall strawberry | *Quentin B. Zielinski and Ralph Garren, Jr.* | 134–139 |
| Secretion of phosphorylase by Red Kidney bean embryos | *S. M. Siegel* | 139–141 |
| Separation of D-glucose from the hydrolysis products of *Scenedesmus* cells | *John W. E. Glattfeld* | 141–142 |
| Indicator significance of some shrubs in the Escalante Desert, Utah | *Milton Fireman and H. E. Hayward* | 143–155 |
| Effect of night temperature on growth of the fruit of the sour cherry | *Loren D. Tukey* | 155–165 |

| | | |
|---|---|---|
| Effects of potassium deficiency on growth and metabolism of sunflower plants | *Scott V. Eaton* | 165–180 |
| Translocation of radioactive octamethyl pyrophosphoramide in Black Valentine bean plants | *Randolph T. Wedding and Robert L. Metcalf* | 180–189 |
| Desiccation in conifer leaves: anatomical changes and determination of the lethal level | *Johnson Parker* | 189–198 |
| Floral morphology of three species of *Gaultheria* | *Yü-Liang Chou* | 198–221 |
| Floral morphology of *Populus deltoides* and *P. tremuloides* | *M. Nagaraj* | 222–243 |
| Xylem development in young internodes of the Kentucky Wonder bean | *Lora Mangum Shields and F. W. Sattler* | 243–248 |
| Free amino acids in sugar-beet leaves altered by zinc dimethyldithiocarbamate | *Roger Blouch, Merle G. Payne, and Jess L. Fults* | 248–251 |
| Blooming of *Tulipa chrysantha* after delay in planting | *Teunis Vergeer* | 252 |
| Pits, intercellular spaces, and internal "suberization" in the apical meristems of *Ricinus communis* and other plants | *Flora Murray Scott and Margaret Lewis* | 253–264 |
| Chromosome numbers and meiotic studies in *Ribes* | *Quentin B. Zielinski* | 265–274 |
| Effects of 2,4-dichlorophenoxyacetic acid and 2,4,5-trichlorophenoxyacetic acid on mitosis in *Allium cepa* | *Barbara H. Croker* | 274–283 |
| The nature of summer dormancy in perennial grasses | *Horton M. Laude* | 284–292 |
| Fungicidal properties of some carbonic and thiocarbonic acid derivatives of hydrazine | *H. W. Gausman, C. L. Rhykerd, H. R. Hinderliter, E. S. Scott, and L. F. Audrieth* | 292–296 |
| Effects of exposures of seeds to various physical agents. II. Physiological and chemical aspects of heat injury in the Red Kidney bean embryo | *S. M. Siegel* | 297–312 |
| Climatic factors influencing parthenocarpy and normal fruit-set in tomatoes | *Daphne J. Osborne and F. W. Went* | 312–322 |
| Notes on the development of the gametophyte of *Equisetum arvense* in sterile media | *Hempstead Castle* | 323–328 |
| Growth in vitro of excised roots of *Equisetum arvense* as modified by indole-3-acetic, indole-3-butyric, and α-naphthaleneacetic acids | *Hempstead Castle* | 328–343 |
| Effects of thiamin, niacin, and pyridoxine on interval growth of excised tomato roots in culture | *Addison E. Lee and W. Gordon Whaley* | 343–348 |
| Development of female gametophyte and endosperm in *Chrozophora rottleri* | *R. K. Srivastava and G. P. Agarwal* | 348–350 |
| Spirality in *Citrus* | *C. A Schroeder* | 350–352 |
| Histological effects of absorbed radioisotopes upon the callus of *Sequoia sempervirens* | *Ernest Ball* | 353–363 |

| | | |
|---|---|---|
| Bacterial and host factors concerned in determining tumor morphology in crown gall | *Armin C. Braun* | 363–371 |
| Morphology of *Anthoceros erectus* and *A. himalayensis* and the phylogeny of the Anthocerotales | *P. N. Mehra and O. N. Handoo* | 371–382 |
| Cell-wall structure in apical meristems | *Leo W. Mericle and W. Gordon Whaley* | 382–392 |
| Chloroplastic structures in the epidermis of spinach leaves | *Ruth P. Alscher and George I. Lavin* | 393–396 |
| Quantitative study of degeneration of mixed prairie | *Farrel Branson and J. E. Weaver* | 397–416 |
| Effect of low nitrogen and sulfur supply on their accumulation in the cotton plant | *David R. Ergle* | 417–426 |
| Heavy-metal accumulation by citrus roots | *Paul F. Smith* | 426–436 |
| Studies on the physiology of rice. VI. Effect of photoperiod on development of the shoot apex | *S. M. Sircar and S. P. Sen* | 436–448 |
| Vegetative and fruiting responses of tomatoes to high temperature and light intensity | *S. P. Johnson and Wayne C. Hall* | 449–460 |
| Developmental stages of the cotton plant as related to the effects of 2,4-D | *Wayne J. McIlrath and David R. Ergle* | 461–467 |
| An estimate of the number of species of trees in an Amazonian forest community | *J. Murça Pires, Th. Dobzhansky, and G. A. Black* | 467–477 |
| Inhibition of mitosis in bean buds by maleic hydrazide | *Victor A. Greulach and Earlene Atchison* | 478–479 |
| Notes on the starch metabolism of plants treated with maleic hydrazide | *Victor A. Greulach* | 480–481 |
| Index | | 483–488 |